

Mobile Decontamination Units 3-stages - DCU

VERSION	ENERGY	DIMENSIONS	WEIGHT
MOBILE DECONTAMINATION UNIT 3-STAGES	Only ELECTRIC	Length 2,00 to 3,00m Width 1,70 to 2,50m Height under ceiling 2,00m	750kg Single axle
Designed for use during the removal of asbestos-containing materials			

ORIGINAL EQUIPMENT

European certification - COC included - the registration remains at the buyer's expenses.

Hot galvanized steel frame - wheels under frame or external wheels depending on models

Tow bar AL-KO® adjustable in height with hook 68 x 42 or ball coupling + jockey wheel

Hot galvanized steel structure painted in yellow RAL 1003 - other RAL colors upon request

Insulation roof and walls made of white metal sandwich panel with high density PU foam, thickness 30mm

Plywood AGGLO CTBH type with PVC-flooring - On request : marine plywood, resin...

External lockable accesses with portholes

STANDARD LAYOUT

- **Dirty end**
- Lockable external door with porthole and step, 1 trash bag holder, 1 mirror, 3 coat hooks, 1 LED-light, 1 floor drain.
- **Shower area**
- Shower tray 900x900mm with 1 shower mixer set, 1 coat hook, 1 soap dish, 1 LED-light.
- **Clean end**
- Lockable external door with porthole and step, 1 sink with mirror and towel hook, 3 coat hooks, 1 heater 500W.
- **Technical area**
- Vacuum cleaner, air mover (NPU) 500m³/h with HEPA filter EN 1822 H13, waste water filtration unit (2 stages: 5 and 25µ), water boiler 15L with pump
- *All decontamination unit are delivered with valid air measurements according to local regulations*

OPTIONS

Resin flooring

Grab handle fitted to all external accesses

Air supply system

Bootrack

LED-light with presence sensor

Time counter

And for bigger models...(over 750kg)


Toilet facilities

Welfare facilities with canteen area



Mobile decontamination unit D316 - DCU

- Mobile unit with following dimensions and weight:
- 2,07 x 2,07m | 750kg
-
- **Equipment**
- 3-stages : DIRTY END - SHOWER - CLEAN END
- Technical Room : with air & water management / water heating : gas or electrical
- (details above)



Shower 9C
Soap dish
+ coat pec
+ LED ligh
+ tap

porth

2 ho

Door w
portho
DIRTY

Retr

LED

Tras