


DECON UNIT – 5-stages mounted on 3T5 straight truck



Tractor vehicle

- RENAULT MASTER
- Single frame, cabin L3
- Wheelbase 4332 mm
- Energy DCI 145CV EURO 6
- Spare wheel



Technical features

Dimensions inside	3.90 x 2.10 m
Height under ceiling	2 m
G.W.V	3.5 T



Structure

Chassis	Aluminum
Structure	Round shaped aluminum profiles painted in the color of your choice
Walls & roof	Insulation roof and wall made of white metal sandwich panel with PU foam, thickness 30 mm
Floor	Marine plywood with resin covering with covings of 8cm Color : red & green

Equipments

Dirty end (1st stage)	LED waterproof lighting, 3 coat hooks, 1 mirror, 1 porthole, steps, boots holder, sealing shutter for the pre-filter of air mover
Showe (2nd stage)	2 insulated doors with grids, 1 resin shower 800x1000mm, 1 mixer and head shower, 1 LED lighting, 1 soap holder, 1 shower temporization
Transitional room (3rd stage)	1 corner bench, 1 LED lighting, 1 airtight garbage with Longopac system for bags and external access for emptying + access from body shower to throw the cartridge, 1 porthole, 1 mirror
Shower „body“ (4st stage)	2 insulated doors with grids, 1 resin shower 800x1000mm, 1 mixer and head shower, 1 LED lighting, 1 soap holder, 1 shower temporization + gutter to recover the runoff water in the bottom of the door, closing system for door grid
Clean end (5st stage)	1 external access with porthole, steps and handle grip 3 hooks, 1 LED lighting, 1 porthole, 2 stools, 1 washbasin, shelf, mirror, 1 blowing convector 1800W, 3 hooks + 3 sockets for mask reloading, 2 half lockers (other capacities on request)
Technical room	1 gas boiler + bottle chest or 1 electrical boiler (200 or 300L), 1 electrical box, 1 socket, 1 convector 500W, 1 HEPA vacuum cleaner + bulkhead, 1 fresh water tank 175L + high pressure pump (other capacities on request), 1 LED lighting, 2 wheels chocks Water management: waste water filtration with 2 filters (5 und 25µ) + pump Air management: Air mover with HEPA filter – Air measurement delivered with
Generator	Generator: gas, diesel or petrol from 2.5 to 10KW The generator is mounted on sliding rails into a "chamber" with lockable external access.
Aménagements extérieurs	1 watertight socket 220V, 1 spirit level, 1 water inlet tap, 1 earth cable & rod

